



TD

03 CO  
8

PATENT APPLICATION

THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of

Joseph S. ECKERLE et al.

Application No.: 10/080,703

Group Art Unit: 3736

Filed: February 25, 2002

Docket No.: 105270

For: SYSTEMS AND METHODS FOR MEASURING PULSE WAVE VELOCITY  
AND AUGMENTATION INDEX

**REPLY TO NOTICE TO FILE CORRECTED APPLICATION PAPERS**  
**WITH DRAWINGS**

Director of the U.S. Patent and Trademark Office  
Washington, D.C. 20231

Sir:

Please substitute the attached formal Figures 1-14 for the corresponding Figures 1-14  
filed with this application on February 25, 2002. The attached Figures 1-14 are submitted to  
comply with the margin requirements set forth in the Notice to File Corrected Application  
Papers mailed March 19, 2002.

Respectfully submitted,

James A. Oliff  
Registration No. 27,075

Dermott J. Cooke  
Registration No. 41,685

JAO:DJC/ccs

Date: May 1, 2002

OLIFF & BERRIDGE, PLC  
P.O. Box 19928  
Alexandria, Virginia 22320  
Telephone: (703) 836-6400

DEPOSIT ACCOUNT USE  
AUTHORIZATION  
Please grant any extension  
necessary for entry;  
Charge any fee due to our  
Deposit Account No. 15-0461



# UNITED STATES PATENT AND TRADEMARK OFFICE

MAY 01 2002

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/080,703	02/25/2002	Joseph Stephen Eckerle	105270

25944  
OLIFF & BERRIDGE, PLC  
P.O. BOX 19928  
ALEXANDRIA, VA 22320

CONFIRMATION NO. 8350

## FORMALITIES LETTER



\*OC000000007668282\*

Date Mailed: 03/19/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

### Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

*Tram Chau*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE